

HOCHENEUROER, Emil, dr.

The present state of the policmyelitis-tonsillectomy problem.
Orv. hetil. 97 no.9:241-244 26 Feb 56

1. A Gyori Megyei Korhas (igasgato: Mike Zoltan dr.) ful-orrgegosstalyanak (foorvos: Gsillag Sandor dr.) kozlemeneye.

(POLIOMYELITIS
 relation to tonsillectomy & incidence after (Han))

(TOWSILS, surg.
 relation to polio. & indic. for in polio. epidemic (Hun))

The state of the s

HOCHENHURGER, EMIL, dr.

Umusual foreign bodies in the epipharynx. Ful orr gegegyogy. no.2:
93-95 July 57.


The confidence of the second s

unusual for. bodies in child. (Hun))

HOCHTMLD, L.

"Main Terms in the Production of Cellulose." p. 116, Praha, Vol. 9, no. 5, May 1954.

SO: Hast European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress



POLAND/Human and Animal Physiology - Internal Secretion.

1-7

Sex Glands.

THE PERSONAL PROPERTY OF THE SAME SHEET HER PROPERTY HER THE PROPERTY OF THE PERSONAL PROPERTY O

: Ref Zhur - Biol., No 18, 1958, 84442 Abs Jour

Author

: Ber, Arthur; Mochlinger, Helena

Inst Title : Studies of the Role Played Ly the Liver in Hormonal

Metabolisms. III. The Effect of Liver Damages upon the

Teames of White Rats.

Orig Pub

: Endocrynol, policka, 1956, 7, 97-111

Abstract

: After unilateral castration, vicarious hypertrophy (VH) of the testes (T) is slight in rats if their liver functions normally (T weight equals 0.67 percent of body weight, and 0.55 percent in intact rats). Ligation of the bile duct (BD) causes a decrease in body weight and prevents VH development in T. Rats with liver damages (especially with ligated BD), as well as rats which have been unilaterally castrated and in whom I seminal vesible and I

Card 1/2

^ APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1

POLAND/Human and Aminal Physiology - Internal Secretion.

T-7

Sex Glands.

Abs Jour

: Ref Zhur - Biol., No 18, 1953, 84442

mermary (land have been removed, sometimes suffer considerable weight losses (30-40 percent) and liver atrophy. These phenomena are accompanied by a decrease of gonadotropic secretion and by atrophy of T. Also, the above described phenomena are accompanied by the liver losing its obility to inactivate estrogens. -- From the author's summa-TY .

Card 2/2

ABS, JOUR. : SZhBiol., No. 5 1959, No. 22341

AUTHOR INST. TITLE

ORIG. FUE. :

ABSTRACT : after complete regeneration of the liver, a fact

which attests to altered liver function even after

complete morphological regeneration .-- A.P. Dyban

4/4 Card:

T-67

POLAND/General Biology - General Histology.

: Ref Zhur - Biol., No 21, 1958, 94597

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1

B.

Author

: Ber, Artur; Hochlinger, Helena; Zieleniewski, Jerzy

Inst

Title

Investigation of Melanophore Reaction. I. Influence of Water Extracts of Postfermentative Penicillium Nycclium Chrysogenum Q-176 on the (Content of) Pigment in

Tadpoles Xenopus laevis Daudin.

Orig Pub

: Endokrynol. polska, 1956, 7, 188-194.

Abstract

: The development of melanophores was shown in tadpoles treated with an extract of Penicillium. The authors exclude the possibility of the presence of melanophore hormone in the mycelium. -- From the authors' resume.

Card 1/1

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000618030011-1

HOOMAN, JUSET	
Modern technical and working processe point for establishment of standards. no.7:305-310 J1 '62.	

1. Vyrobni hospodarska jednotka Svit, Gottwaldov.

HOCHMAN, Josef

Problems of a reasonable working method and rest in assembly line production in the shoe industry. Prace mzda 13 no.4: 153-159 Ap '65.

1. Production Economic Unit Svit, Gottwaldov.

HOCHMAN, Josef

Problems of reasonable working methods and rest in the assembly line shoe production. Kozarstvi 15 no.2:37-42 F '65.

1. Svit Economic Production Unit, Gottwaldov.

CATEGORY:

BD: JOUR. : RZBiol., No. , 1959, No. 167

CHECKS:

CRIC. PUB. : obor. Vysom scoly zened. a law. 1807.

A, No 1, 115-127

ABSTRACT: He sults of composite at a law. 1 law.

CARD:

CARD:

At prio.

"Pneumatics with Pfiff" by W. Guttropf. Reviewed by Mirek Hochman. Stroj vyr 12 no.1:75 Ja*64.

r en de la minera en la mental de la companie de l

HOCHMAN, P.; KOUTECKY, J.; ZAHRADNIK, R.

See The Present of the Country of th

Tables of quantum chemical data. Part 1: Molecular orbitals of some benzenoid hydrocarbons and benze derivatives of fluoranthene. Coll Cz Chem 27 no.12:3053-3075 D '62.

1. Institute of Physical chemistry, Czechoslowak Academy of Sciences, Prague.

S/081/62/000/020/037/040 B144/B101

and a set the belief to the all

AUTHOR:

Hochman, Vlastimil

TITLE:

Determination of the ordering of polypropylene fibers

with the aid of birefringence

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 20, 1962, 558, abstract 20P490 (Textil (ČSSR) v. 17, no. 3, 1962, 104-105 Czech.; summaries in Russ., Ger., and Eng.)

TEXT: The known methods of determining the degree of orientation of viscose fibers are discussed and the determination of the ordering by birefringence is recommended as the best method. The device used and the method of determination are described. Abstracter's note: Complete translation.

Card 1/1

CZECHOSLOVAKIA

HOCHMANN, P; DUBSKY, J; KVASNICKA, V; TITZ, M

Institute of Physical Chemistry, Czechoslovak Academy of Sciences, Prague - (for all)

Prague, Collection of Czechoslovak Chemical Communications, No 10, October 1966, 4172-4175

"Tables of quantum chemical data. Part 10: Energy characteristics of some polyenic hydrocarbons."

THE RESERVE TO BE SHOULD B

HUNGARY / Chemical Technology. On mical Products and H-15 Their applications. In astrict Onsernic Sym-

thosis.

CONTRACTOR OF THE SECURITIES AND SECURE OF THE PROPERTY OF THE PARTY OF THE PROPERTY OF THE PR

Lbs Jour: Ref Zhur-Khimiya, No 3, 1959, 9202.

Author : Possayno, K., Eochmano-Fischer, K.
Inst : Not given.
Title : Production of anhydrous Acotic Leid.

Orig Pub: Acta phorane. hung., 1957, 27, No 6, 263-256.

Abstract: In producing anhydrous CH3COOM (I) the offect was learned of the time reaction of (CH3CO)2C with diluted I on the content of water in the frozen I produced. It was established that it is 200 the water content of I falls to 0.6% in 6 hours. The catalytic offect of HClO4 was studied, in the prosence of which anhydrous I is obtained in 1 hour

at 600. Author's abstract.

Card 1/1

HOCHMANNOVA, J.; NOVOTNY, L.; HEROUT, V.

On terpenes. Part 138: Sesquiterpenic hydrocarbons from coltsfoot rhizomes (Petasites officinalis Moench). Coll Cs Chem 27 no.8:1870-1876 Ag 162.

1. Institute of Organic Chemistry and Biochemistry, Czechoslovak Academy of Sciences, Prague.

HOCHMANNOVA, J.; NOVOTNY, L.; HEROUT, V.

On terpenes. Part 144: Hydrocarbons from Petasites albus (L.) Gaertn. rhizomes. Goll Gz Chem 27 no.11:2711-2714 N '62.

1. Institute of Organic Chemistry and Biochemistry, Czechoslovak Academy of Sciences, Prague.

BENERALMONA, J.; Hensel, V.

On Terpenes, st. 169. Call Oz Chem B) no.1 10.2094/3/o 15 164.

1. Institute of Organic Chemistry and Biomemistry, dzemostovak Acedemy of Solences, Frague.

HOCHMANOVA, M.; KRCMERY, V.

Differentiation of bovine and avian mycobacteria by the determination of nicotine- and isonicotinamidase activity. (Short amidase group). Cesk. epidem. 13 no.4:241-243 Jl *64.

1. Statny veterinary ustav, pobocka Bratislava.

HOCHMUT, R

Todugande neroneniut

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1

Poplar lice and their control. Les cas 8 no.2:115-136 162.

1. Vyzkumny ustav lesniho hospodarstvi a myslivosti, Zbraslav - Strnady.

HOCHMUT, Richard, inz. CSc.

A contribution to the knowledge of the embryogenesis of the roller Archips crataegana (HB). Cas entom 61 no.3:201-209 164.

1. Research Institute of Forestry and Game Keeping, Zbraslav-Strnady.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

HOCHMUT, Richard, inz. CSc.

Problems of the silver fir adelgid (Dreyfusia rordmannianse Eckst.) in Czechoslovakia and its control. Les cas lC no.10:879-902 0 '64.


1. Research Institute of Forestry and Game Keeping, Zbraslav - Strnady.

HOCHMANNOVA, J.; HEROUT, V.; SORM, F.

On terpenes. Part 127: Isolation and structure of sesquiterpenic lactones from common yarrow (Achillea millefolium L.). Coll Cz Chem 26 no.7:1826-1831 Jl '61.

1. Institute of Organic Chemistry and Biochemistry, Czechoslovak Academy of Sciences, Prague.

(Terpenes) (Lactones)



HOCHMUTH, Z.

"Once more about the school project."

KRASY SLOVENSKA. (Poverenictvo dopravy. Riaditelstvo pre cestovny ruch) Bratislave, Czechoslovakia, Vol. 36, No. 5, May 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 8, August 1959.

HOCHRAINER, A.

करान्त्र रोज्यास्य विकास विकास स्थापना व्यक्ति । स्थापना विकास स्थापना विकास स्थापना ।

Advancements in the problem of recovery voltage (Near short-circuit four-parameter method). p. 395.

ELEKTROTECHNICKY OBZOR. Praha, Czechoslevakia. Vol. 48, no. 8, Aug. 1959.

H

10年10年20日

Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 2, Feb. 1960. Uncl.

HOCHSTIM, J.: NANNOSTOMUS beckfordi

A MERONICA, INC. A COMPANIA CONTROL AND A MERONICA CONTROL AND A CONTROL

Gunther. p. 29. Vol. 7, no. 11, Nov. 1955. The Great October Revolution. p. 1. GOSPODARKA RYBNA (Polskie Wydawnictwa Gospodarcze). Warszawa. Vol. 7, no. 10, Oct. 1955.

So. East European Accessions List. Vol. 5, no. 1, Jan. 1956


HOCHSTRASSER, Emil, Dr.; HORVATH, Gyorgy, Dr.

Hyaluronidase therapy of elephanthiasis. Borgyogy. vener. szemle 36 no.5:201-203 S'60.

1. A Gyor-Sopron Megyei Tanacs Korhaza, Gyor (Igazgato: Dr.Szasz Janes) Borgyogyaszati Osztalyanak (Foorvos: Dr. Hochstrasser Emil) kozlemenye.

(LYMPHEDEMA ther)

(HYALURONIDASE ther)






SEGAL, M.; de,; HOCIOTA, D., dr.; PACURARIU, I., dr.


skilestekishkishtita ish basashadinan dari

Deafness caused by exonehous and endogenous intoxications in children. Otorinolaringologie (Bucur) 10 no.1:49-56 Ja-Mr'65.

1. Lucrare efectuata in Serviciul de otorinolaringologie, Spitalul nr. 12, Bucuresti.



APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"



Hocoung, Jana

Pharmacist


Laboratory of Pharmaceutical Chemistry, School of rharmacy
(Laboratorul de Chimie Farmaceutica, Facultatea de Farmacie),
Bucharest


Bucharest, Farmacia, No 1, Jan 63, pp 13-26.

"Radioisotopes used as medicine."

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000618030011-1






ILLES, Istvan, oklaveles mernok, adjunktus; HOCK, Bela, oklaveles mernok, tereso

Kika Chi ka bigora (在1970年) 1970年 (日本1970年) 11月77 [1972年] 1840年 [1974年] 1854年 185

Dimensioning of pumps for canalization. Visugyi kozl no.4:496-505 163.

1. No. 1 Chair of Hydraulic Engineering, Technical University of Building and Transportation, Budapest (for Illes). 2. Civil Engineering Designing Enterprise, Ministry of Building, Budapest (for Hock).



APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

CZECHOSLOVAKIA/Safety Engineering. Sanitary Engineering. Sanitation L.

Abs Jour : Referat Zhur - Khiniya, No 4, 1957, 14268

Author : Hock J., Bart, Spurny, Cermakova

Title : Results of Investigations of Enterprises at Which Lead

is Handled

Orig Pub : Pracovni lekar., 1956, 8, No 2, 106-110

were

Abstract : Samples of air, for determination of Pb content, collec-

ted through cotton-wool respirators used by the workers. It was found that the maximum permissible Pb concentration in the air of work areas (0.05 à /liter) was exceeded in all the shops. In printing shops the average Pb concentration was 0.47-2.10, in foundries 0.24-1.09, in storage battery shops 0.8-10.48, in manufacture of red lead 1.84-15.71 % /liter. In the two last mentioned instances cases of Pb poisoning had occured. Greatest number of cases of poisoning had occured in dusty shops.

The lowest concentrations of Fb at which cases of

Card 1/2

- 2 -

CZECHOSLOVAKIA/Safety Engineering. Sanitary Engineering. Sanitation

AND A SECOND PROPERTY.

L.

Abs Jour

: Referat Zhur - Khimiya, No 4, 1957, 14268

poisoning were observed were 1.53 and 2.60 \$\frac{1}{\text{liter.}}\$ In hygienic evaluation of work areas it is recommended to take into account the form of material handled, its state and degree of dispersion of aerosols. Wearing of cotton-wool respirators and periodical relief of workers in areas of high Pb concentration are indispensable. Included are a scheme of hygienic evaluation of work areas and a plan of proposed safety engineering measures.

Card 2/2

- 3 -

HOE, J.

A few remarks on the milk surply in Prague; a discussion on B.Stiess' article, published in no. 5.

P. 107) Dinistry of Health, Research Institute for Crymmination of Health Service) Vol. 12, No. 7/6, July/aug. 1957.


SG: Monthly Index of Fast European Acessiens (AEE1) Vol. 6, No. 11 Movember 1957.


HOCK, J.


Human element as an important factor in food manufacturing and distributing processes. (Supplement) P. 34.


FRUMYSL, FOTRAVIN. Praha, Czechoslovekia, Vol. 10, no. 1, January 1959.

Monthly List Of East European Accessions (EEAI), IC, Vol. 8, No. 7, July 1959 Uncl.









CZECHOSLOVAKIA


ar i sarat diddidi bushili a

MOCHAN, C., MICHIGA, L.

Enstitute of Endocrinology, Slovak Academy of Sciences (Sudekrinologieky uster 847), Bratislava (for both)

Bratislers, Farmaceuticky obger, No 2, Pob 1966, pp 63-66

"Reportence with gel filtration applied to the sephadon."




is a suppose filterality longuation

HOCMAN, Gabriel; LICKO, Vojtech; KUTKA, Mikulas; JANSCAKOVA, Matilda; SEVCIK, Peter

Automatic determination of the ratio of radioiedine to protein bound radioactive lodine compounds by separation on the Sephadex gel column. Chem listy 58 no.5:576-579 My 164.

1. Institute of Endocrinology, Slovak Academy of Sciences, Bratislava.



APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

se and the second secon

CZECHOSLOVAKIA

KVETNANSKY, R; MITRO, A; MIKULAJ, L; HOCHAN, G

Institute of Endocrinology, Slovak Academy of Sciences (Endokrinologicky ustav Slovenskej akademie), Bratislava – (for all)

Bratislava, Bratislavake lekarake listy, No 1, January 1966, pp 35-41

"Catecholamines of the adrenal medulla and the morphological changes of the adrenal medulla during adaptation to repeated immobilization stress."

L 2058-66

ACCESSION NR: AP5027370

CZ/0053/65/000/001/0054/0055

AUTHOR: Bartova, A.; Hocman, G.

TITLE: Determination of corticosterone in the plasma and homogenates of the

adrenal gland of rate

SOURCE: Ceskoslovenska fysiologie, no. 1, 1965, 54-55

TOPIC TAGS: biochemistry, gland, rat, endocrinology, hormone

ABSTRACT: The authors describe a method that they developed for fluoremetric analysis of corticosterone. The fluorescing reagent is a mixture of 35 parts ethanol and 65 parts sulfuric acid. Technical details of the method are described, and the accuracy and reproducibility of the method are discussed. Orig. art. has 2 graphs.

ASSOCIATION: Endokrimologicky ustav SAV, Bratislava (Endocrimological Institute; SAV)

SUBMITTED: 03Jul64

ENCL: 00

SUB CODE: 18

NO REF SOV: UOO

OTHER: 010

JPE

CZECHOSLOVAKIA

HOCMAN, G.; HEGEDUS, L.; Endocrinological Institute, Slovak Academy of Sciences (Endokrinologicky Ustav SAV), Bratislava.

"A Method for the Determination of Binding Capacity of the Blood Plasma Proteins to Thyroxine."

Prague, Ceskoslovenska Farmacie, Vol 15, No 5, Jun 66, pp 21/4-21/6

Abstract /Authors' English summary modified: Two equal samples of blood plasma are incubated with radioactive thyroxine, and with two different amounts of 1-thyroxine. In both cases the ratio of radiothyroxine free and bound to plasma proteins is determined by means of gel giltration on Sephadex G 25. On the basis of these results the binding capacity of the plasma proteins to thyroxine is calculated. 1 Figure, 2 Tables, 13 Western, 3 Czech references. (Manuscript received 8 Jul 65).

1/1

And the state of t

HOCKELANN, P; WOSKY, J; MOUTELONY, J; MALACTE, ...

Institute of Physical the letry of the does a lovet Relating of Sciences, Prague (for all)

Er. Tre, Sollection of Ozec. Sollov J. Chemic J. Johnson ext. Sol., 1965, 19 3560-3565

one where he had been a factor


ZALOZNIK, Emil; HOCMANOVA, Irena, inz.; BOHYNIK, Rudolf, inz.

Problem of slime control. Papir a celulosa 17 no.2:32-34 F

带可见到100gg | 100gg | 1

162.

1. Severoslovenske celulozky a papierne, zavod Zilina.



PHARMED AS

HODA, F.

A PERSONAL PROFESSION SALES SA

Pneumatic conveying of intermediate and finished products in flour mills. (To be contd.) p. 76.

TECHNIKA VYKUPU, MLYNARSTVI A PEKARSTVI. (Ministerstvo potravinarskeho prumyslu a vykupu zemedelskych vyrobku a Sdruzeni mlynu a pekaren)
Praha, Czechoslovakia, Vol. 5, no. 2, Feb. 1959.

Monthly List of East European Accessions (EPAI), LC Vol. 9, no. 2, Feb. 1960.

Uncl.


VENCLIK, Hynek; HODACOVA, Olga

Disorders of taste in middle ear surgery. Cesk. otolaryng. 11 no.3: 153-158 162.

1. Otolaryngologicke oddeleni krajske nemocnice s poliklinikou v C. Budejovicich, prednosta dr. H. Venclik, CSc.

(EAR MIDDLE surgery)
(GLOSSOPHARYNGEAL NERVE physiol) (TASTE BUDS physiol)

CIA-RDP86-00513R000618030011-1" APPROVED FOR RELEASE: 08/10/2001



CZECHOSLOVAKIA

HODAK, K.: JAKESOVA, V.; DADAK, V.; Department of Biochemistry and Department of Microbiology, Faculty of Natural Sciences, J. E. Purkyne University (Katedra Biochemie a Katedra Hikrobiologie Prirodovedecke Fakulty UJEVP), Brno.

"Antibiotic Activity of Natural Coumarins. VI. The Relation Between the Structure and the Antibacterial Activity of Some Natural Coumarins and the Neutralization of this Activity."

Prague, Coskoslovenska Farmacie, Vol 16, No 2, Feb 67, pp 86-91

Abstract Authors' English summary modified 7: The effect of an Isoprene chain and of phenolic hydroxyl on the antibacterial activity of 15 structurally related derivatives of coumarin and furocoumarin of natural origin was investigated. Hethylation of the -OH group in ammoresinol results in a complete loss of activity, in ostruthin the activity is only reduced. In some of the coumarin derivatives the isoprene chain has no influence on activity. K-vitamins inhibit the effect; in some cases K1, K2 and K3 effects differ from each other. Tween 80 reduces the effect of coumarin derivatives on the 02 consumption of Staphylococcus aureus.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

CZECHOSLOVAKLA/Microbiology - General Microbiology.

Abs Jour : Ref Zhur Biol., No 1, 1959, 602

Author : Rosypal, S., Hod'ak, K.

Title : Precision of the Corrected Method for Vitamin Ele

Coefficients of Regression.

Cric Pub : Spisy vyd. prirodoved. fak. Masarykovy univ., 1957, No 9.

Abstract : No abstract

Card 1/1

HODA APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011

-1_

"Economic and technical soil improvement." p. 49.

GEODETICKY A KARTOGRAFICKY OBZOR. Praha, Czechoslovakia, Vol. 5, no. 3, Mar. 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 8, August, 1959. Uncl.

CZECHOSLOVAKIA/Virology. Human and Animal Viruses. Intestinal Viruses.

Abs Jour: Ref Zhur-Diol., No 17, 1958, 76493.

Author : Bardon, V.; Somodska, V.; Lacke, F.; Hedaleva, M.

Inst

: Virological Diagnoses of Epidemic Serous Meningitis Title

Caused by a Coxsackie Virus of Type Ap.


Orig Pub: Bratisl. lekar. listy, 1957, 2, No 8, 469-481.

Abstract: No abstract.

: 1/1 Card

7

CIA-RDP86-00513R000618030011-1" APPROVED FOR RELEASE: 08/10/2001



and the grade of the Country of the

CERVENKA, J.; TLUCKOVA, I.; Technicka spolupraca: Holalova, E.; M. Verenka, A.; ADAMCOVA, A.; KOVACIKOVA, E.

Constant of the Constant of th

Long-term studies of dynamics of sensitivity to standard tuberculin in babies and infants vaccinated in the neonatal period with a Czechoslovak BCG vaccine (controlled longitudinal study). Bratisl. lek. listy 45 no.2:65-77 31 J1 165.

1. Vyskumny ustav epidemiologie a mikrobiologie v Bratislave (riaditel doc. MUDr. J. Karolcek) a Obvodni ustav narodniho zdravi v Trencine (riaditel MUDr. L. Bielek).

"Molding material for very smooth iron castings."

p. 334 (Slevarenstvi) Vol. 5, no. 11, Nov. 1957 Prague, Czechoslovakia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4, April 1958

HODAN, B.

Use of the chemical hardening method in coremaking. p. 3%.

स्टब्स्केंग्रेन्य कर का रूप हो स्वान्द्र स्वान्त्र सामान्य विवास । 🖛 🤄 🗀 🗀

SIEVARENSTVI. (Ministerstvo tezkeho strojirenstvi a Ceskislovenska vedecka technicka spolecnost pro hutnictvi a slevarenstvi) Proja, Czechoslovskia. Vol. 7, no. 7, June, 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 12, Dec. 1959 UNCL

HODAN, Bretislav

Production of the conting cores at the Moravske zelezarny.

Slevarenatvi 12 no.11:40-472 N '64.

1. Moravske zelezarny, Olomouc.

of Charles and a second

KREN, V.; CERNOCH, Z.; STEINHART, L.; ENDRYS, J.; SLEZAK, P.; PUDIL, V.; PRIBORSKY, J.; HODAN, J.

i seri agonata interchimical 🙃 🙃

Venography of the liver and kidneys with slowed-down circulation by means of intrabronchial hypertension in animal experiments. Cesk. radiol. 19 no.4/5:285-288 Ag *65.

1. Radiologicka a chirurgicka klinika lekarske fakulty Karlovy University v Hradci Kralove, CSSR.

BEST THE PROPERTY OF THE STATE OF THE STATE

KREN, Vitezslav; CERNOCH, Zdenek; STEINHART, Leo; ENDRYS, Jirí; SLEZAK, Premysl; PUDIL, Vratislav; PRIBORSKY, Jaromir; HODAN, Jiri

Liver and kidney venography in animal experiments during delayed circulation by intrabronchial hypertension. Sborn. ved. prac. lek. fak. Karlov. Univ. 8 no.2:179-182 165

1. Radiologika klinika (prednosta: prof. MUDr. J. Bastecky, DrSc.) a Chirurgicka klinika (prednosta: prof. MUDr. J. Prochazka, DrSc.) Lekarske fakulty Karlovy University v Hradci Kralove.

Manual de la compania de la compania

AUTHOR: Hodan, Rudolf CZECH/37-59-3-6/29 The Influence of Static Pressure on Absorption in the F-band TITLE: of Sodium Chloride Československý časopis pro fysiku, 1959, Nr 3, pp 255-256 PERIODICAL: ABSTRACT: The F-band in sodium-chloride crystals is known to decrease (H. Schröder et al - Refs 1,5,6) and to shift (if the crystals contain divalent ions) (E. Poser et al -Refs 2,3,4) with pressure. In the present investigation the absorption spectra of two cleaved crystals of sodium chloride, one pure and one containing 0.1% Ca, were measured photographically. The crystals were coloured by X-rays. During the measurement of absorption, they were subjected to mechanical pressure, in one direction, of up to 1 300 g/mm2. Figure 1 shows the absorption coefficient as a function of wavelength for pure uncompressed NaCl (a), pure NaCl compressed by 1 300 g/mm² (b), uncompressed NaCl containing Ca (c) and NaCl containing Ca compressed by 1 200 g/mm (d).

The absorption maxima for the four curves are: a) 4700 A.U.; b) 4750 A.U.; c) 4740 A.U.; Card1/2 d)

4782 A.U.

CIA-RDP86-00513R000618030011-1" APPROVED FOR RELEASE: 08/10/2001

THE RESIDENCE OF THE PROPERTY OF THE PARTY O

CZECH/37-59-3-6/29
The Influence of Static Pressure on Absorption in the F-band of Sodium Chloride

Figure 2 shows $K_n - K_s/K_n$ as a function of the pressure for the two systals. K_n and K_s are the absorption coefficients for the uncompressed and the compressed crystals, respectively. Curves a and b (Figure 2) refer to the first run, while Curves a' and b' were obtained when the experiment was repeated after one day. The work hardening of the crystal seems to reduce the effect of pressure on the absorption in the F-band. There are 2 figures and 7 references, of which 4 are German and 3 English.

ASSOCIATION: Fysikální ústav a katedra obecné fysiky Karlovy university, Praha (Physics Institute and Chair for General Physics of Charles University, Prague)

SUBMITTED:

August 2, 1958

AND SEAL SCHOOL SELECTION OF SHEET HEREIN BEING TO SHEET THE SHEET SHEET

Card 2/2

इ. एकः इतिसी ग्रीक्सिक्त विशेषात्र स्थिति ।

HODAN, V.: PELIKAN, J.

High-frequency heating in industry. P. 3hh.

STROJIRENSKA VYROBA. Praha, Czechoslovakia. Vol. 7, no. δ , August 1959.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 11, November 1959.

Uncl.

第三月日報報 首選的

RANCAK, Josef; HODANEK, Jaroslav

Extention arm for the HSC 5 and AJ 6 autocranes. Inz stavby 10 no.12:Suppl.:Mechanizace no.12:143-144 '62.

1. Ceskomoravska-Kolben-Danek Slany, Svermovy zavody, n.p., Slany.

a i produktini primer

GHMELAR, Vladimir; GROJSMANN, Vojtech, prof. EdDr.; Wommicke springrace: HODANOVA, M.

Tracing of the distribution of sulfur sulfate by means of 335 in the organs of irradiated mice. Sborn. ved. prac. lek. fak. Karlov. Univ. 9 no.1:191-196 *64.

1. Ustav lekarske chemie (prednosta: MUDr. I. Hais) a Katedra farmakologie (prednosta: prof. MUDr. V. Grossmann) Karlovy University v Hradci Kralove.

American in the land of the land of the land of the land

C. C. C. C. C. Ph. 15


V. CHAMLAR, V. GPOSSMANN and M. HODANOVA, Departments of indicinal Chemistry and of Pharmacology, Medical Faculty Charles University (Ustav lekarske chemic a Ustav farmakologic Lekarskej fakulty KU [Karlove University], Hradec Kralove.

"Changes in S35 Distribution in Organs of Irradiated Mice."

Prague, Ceskoslovenska Fysiologie, Vol 12, No 3, May 63; r 210.

Absorate: Three hours after i.v. administration of 10 microcuries of 533/20 Gm. b.w., autoradiography revealed significantly lower level in blood, liver and kidney of mice that received 300 r than in controls. Two graphs, 3 Czech references.

10



HODANY, Laszlo, kandidatus

Some questions relating to the base exchange of kaolinite. II. Epitoanyag 15 no. 1105-110 Ap '63.

1. Magyar Tudomanyos Akademia Muszaki Kemiai Kutato Intezet Izotop Laboratoriuma, Budapest.

HODANY, Laszlo, kandidatus

Some questions relating to the base exchange of kaolinite. Epitoanyag 15 no.5:168-172 My '63.

l. Magyar Tudomanyos Akademia Mussaki Kemiai Kutato Intezet Izotop Laboratoriuma, Budapest.

HODANY, Laszlo, kandidatus

Some questions relating to the base exchange of kaolinite.
Epitoanyag 15 no.6:201-205 Je '63.

OP AND THE HOLD STATE OF THE ST

l. Magyar Tudomanyos Akademia Muszaki Kemiai Kutato Inteset Izotop Laboratoriuma, Budapest.

HOLD TO BE A SUBSCRIPTION OF THE OWNER.

HJDAR, E.

"A collective farm is superior to an individual farm."

p. 14 (Drumul Belsugului) No. 4, Arr. 1957 Bucharest, Rumania

SO: Monthly Index of East European Accessions (EMAI) Mr. 201. 7, so. 4, April 1958

I the state of the said of the

HODASZI, Geza, okleveles villamosmernok; RADICS, Istvan, okleveles gepeszmernok

The prototype of the eight-wheeled articulated cars of the Budapest streetcar lines. Kozl tud sz 13 no.1:5-10 Ja '63.

1. Fovarosi Villamosvasut V.osztalyvezetohelyettese (for Hodaszi). 2. Fovarosi Villamosvasut V.osztalyvezetoje (for Radics).

CSAPODY, Istvan, dr.; HODASZY, Jozsef, dr.

Trachoma in children collectives. Nepagessegugy 36 no.7:
183-186 July 55.


(TRACHOMA, in imfant and child,
in Hungary.)

HOBATAJEV, V.

"Over-all development of our transportation system during the fifth Five-Year Plan." p. 88. (KOZLEKED ESTULOMANYI SZEMLE, Vol. 3, no. 3, Mar. 1153. Sudapest.)

So: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress August, 1953, Uncl.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"



CIA-RDP86-00513R000618030011-1 "APPROVED FOR RELEASE: 08/10/2001

NUM FIL/Che ical Technology. Chemical Products and Their

17-28

THE RESIDENCE THE RESIDENCE OF THE PARTY OF

Application. Food Industry.

Mes Jour: Ref Zhur-Khim., No 2, 1959, 6444.

AZ STELLEN STELLEN HILLIAN HILLIAN STELLEN STE

Author : Trifu, I.; Duritrescu, M.; Hodenn, I.
Inst : / Lucrarile Inst. cercetari aliments/ Mittle : Quality of Bulgarian and Rusmains Ci, prettes.

Orig Pub: Lucrarile Inst. cercetari aliment., 1958, 2, 275-289.

Mostract: The chemical composition of tobacco and suche of 20

Minds of Bulgarian elemettes (BCs) and 10 Minds of Rumonian eigerettes (NCs) was studied. No difference in the quality of MCs and RCs of the highest brands was established. The BCs of medium brands are better then the RCs. The difference in quality boursen the brands of ACs is greater than that between the BCs.

: 1/2 Coard

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

11-28


NUM III /Charical Technology, Charical Products and Their Application. Food Industry.


The Jour: Ref Zhur-Khim., No 2, 1959, 6444.

The content of micrime in all the brands of BCs and BCs does not exceed 1/2. A greater arount of micrime and term passes into the scoke of RCs than into the scoke of BCs. The total content of reducing substances in the scoke of BCs and RCs is large enough, and it is greater in tobacco of BCs than in tobacco of RCs. The main flow of scoke of all BCs and of highest and redium brands of RCs has an acid reaction. - Author's surrary.


Cord : 2/2


135





APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"





A HARA TELEVISION OF THE PROPERTY AND THE PROPERTY OF THE PARTY OF THE MUDEN YETHUOD i general freeless of lutura application at a CATEGORY ABS. JOUR. | PERBiol., Mo. 10 1958, No. 10 10 Property Comments of the Comment of ROHTUR INST. Discounting on the Astible of Est. C.Astella: TITLE : Gar to lessen Serves , 1978, 17, 22, 13, 13, ORIG. PUB. ABBTRACT : Los Datores. 1/1 Card:

```
HODEK, B. (Praha-Stresovice, Nad octarnou 3.)

Loukopenic index & other diagnostic methods in cold allergy. Cas. lek. cesk. 97 no.31-32:1000-1002 8 Aug 58.

1. Alergologicke oddeleni Fakultni nemocnice v Praze 12, predmosta MUDr. Bohuslav Hodek.

(ALLERGY, diag.
leukopenic index & other diag. methods in cold allergy (Cz))

(COLD, inj. eff.
allergy, diag., leukopenic index & other methods (Cz))

(LEUKOCTER COUNT,
leukopenic index. diag. value in cold allergy (Cz))
```

HODEK, B.; SMAHEL, O.

Recommendations regarding the concept of "allergology," p. 291.

CESKOSLOVENSKE ZDRAVOTNICTVI. Praha, Czecheslevakia. Vol. 7, ne. 5, July


Monthly list of East European Accessions (EEAI) LC, Vol. 9, no. 2, January 1960.

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

SMAHEL, Otakar, Doc. MUDr.; HODEK, Bohuslav, MUDr.


Concepts and solution of allergological problems. Cesk, zdravot.
7 no.6:291-293 July 59


(ALLEROY)



"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000618030011-1





APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

HODEK, B.

Antihistaminics in bronchial asthma. Cas. lek. cesk. 102 no.13:
329-331 29 Mr '63.

1. Alergologicke oddeleni lekarske fakulty hygienicke KU v Praze,
prednosta MUDr. B. Hodek.

(ANTIHISTIMINICS) (ASTHMA)

HODEK, B.

On drug allergies. Cas.lek.cesk. 103 no.12:321-324; 20 Mr*64.

1. Alergicke oddeleni lekarske fakulty hygienicke KU v Praze; vedouci: MUDr. B. Hodek.

H: 301, 1

CZECHOSLOVAKIA / General and Special Zoology. Insects. Biology and Reology.

Abs Jour: Ref Zhur-Biol., No 21, 1958, 96441.

: Hodek I. Author

Inst

: Consumption of Aphids by the Larvae of the Ladybugs Coccinella 7-Punctata (A shird note on Title

the ecology of ladybugs).

Orig Pub: Zol. listy, 1957, 6, No 1, 3-11.

Abstract: In five experimental cultures, at various temperatures and feeding conditions, Aphids Doralis fabae were fed to the larvae. The total consump-

tion of aphids under conditions of steady temperature was between 215 and 276 individual specimens; the consumption of aphids increased almost

P

Card 1/2

APPROVED FOR RELEASE: 08/10/2001 CIA-RDP86-00513R000618030011-1"

CZECHOSLOVAKIA / General and Special Zoology.
Insects. Biology and Ecology.

P

and the state of t

Abs Jour: Ref Zhur-Biol., No 21, 1958, 96441.

Abstract: twice at a fluctuating temperature. The larvae

development stopped in cultures in which the consumption of aphids was reduced artificially

to 55% or 40%.

Card 2/2

12